


Aiken comprises of at lease three separate components; the tubular member and two thin closure discs or membranes. Applicant's invention comprises of only a one-piece housing because the ends are permanently sealed and not a separate rupturable seal and the scores are formed on the outer surface of the housing without any additional components. There is a high likelihood of leaking from the Aiken's housing due to its soft flexible body and rupturable thin closure disc or membrane. The housing as disclosed by Aiken may be ruptured unintentionally during transporting. The housing may also leak its contents if the closure disc or membrane is not securely attached to the housing. Applicant's invention cannot be ruptured because its ends are permanently sealed. Applicant's invention also will not leak its contents because its ends are permanently sealed. There is no possibility of a closure disc or membrane not being securely attached to the housing causing the housing to leak its contents as in Aiken. Furthermore, it is much quicker and cheaper to manufacture Applicant's invention than it is to fabricate the invention disclosed in Aiken due to Applicant's single component leak-proof design.

Applicant respectfully requests that a timely Notice of Allowance be issued in this case.


March 31, 2003



Joe Nieh
Registration Number: 46,961
17800 Castleton Street, Suite 475
City of Industry, CA 91748
Tel: (626) 964-4227
Fax: (626) 964-5727
E-Mail: nieh@justice.com

Certificate of Mailing: I certify that on the date below this document and referenced attachments, if any, will be deposited with the U.S. Postal Service by 1st Class Mail in an envelope addressed to: "COMMISSIONER FOR PATENTS, BOX RCE, WASHINGTON, DC 20231."

March 31, 2003



Joe Nieh
Registration Number: 46,961
17800 Castleton Street, Suite 475
City of Industry, CA 91748
Tel: (626) 964-4227
Fax: (626) 964-5727
E-Mail: nieh@justice.com

Amended Claims

1. A multi-channel single-tube sealed container and applicator comprising:
a one-piece housing of rigid material with two permanently sealed ends wherein said housing encloses multiple channels capable of containing substance and is permanently sealed on both ends with a score formed at a predetermined distance from each end of the housing.

5. A multi-channel single-tube sealed container and applicator comprising:
a one-piece housing of rigid material with two permanently sealed ends wherein said housing encloses multiple channels capable of containing substance and is sealed on both ends with multiple scores formed at multiple predetermined distances from each end of the housing.